

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A wind power plant rotor blade tip for a wind power plant rotor blade having an aerodynamic profile having a pressure side and a suction side, wherein the rotor blade tip is curved in a direction of the pressure side of the rotor blade, forming an edge arc that forms an angle with the rotor blade of between 120 and 90 degrees, and wherein the rotor blade tip narrows towards an edge arc upper edge and has an edge arc leading edge and an edge arc trailing edge, the edge arc leading edge and the edge arc trailing edge extending equally in a predetermined, curved gradient to the edge arc upper edge.

2. (Previously Presented) The rotor blade of claim 11, wherein the end region extends at an angle of between 1 and 45 degrees relative to the thread axis.

3. (Previously Presented) The rotor blade of claim 2, wherein the end region extends at an angle of between 1 and 15 degrees.

4. (Previously Presented) The rotor blade of claim 11, wherein a trailing edge of the rotor blade blends fluidly into a trailing edge of the end region.

5. (Previously Presented) The rotor blade of claim 4, wherein the trailing edge of the end region has a predetermined radius of curvature.

6. (Previously Presented) The rotor blade of claim 4, wherein the trailing edge of the end region has increasing curvature towards the rotor blade tip.

7. (Canceled)

8. (Previously Presented) The rotor blade of claim 11, wherein the end region is equal to or less than $1/3$ of a length of the rotor blade.

9. (Previously Presented) The rotor blade of claim 11, wherein the end region has a region of reduced cross-section for fitting into the remaining portion of the rotor blade.

10. (Previously Presented) The rotor blade of claim 9, wherein at least one opening is provided in the region of reduced cross-section.

11. (Previously Presented) A rotor blade with an aerodynamic profile having a pressure side and a suction side, the rotor blade comprising:

a hollow end region, in the form of an independent portion that can be fitted into a remaining portion of the rotor blade; and

a rotor blade tip adjacent the end region, wherein the rotor blade tip is curved in a direction of the pressure side of the rotor blade, forming an edge arc, and wherein the rotor blade tip narrows towards an edge arc upper edge and has an edge arc leading edge and an edge arc trailing edge, the edge arc leading edge and the edge arc trailing edge extending equally in a predetermined, curved gradient to the edge arc upper edge.

12. (Previously Presented) The rotor blade of claim 11, wherein an end of the rotor blade remote from an afflux flow includes an opening for water drainage.

13. (Previously Presented) The rotor blade of claim 12, wherein a tube portion adjoins the opening.

14. (Previously Presented) The rotor blade of claim 11, wherein a region between a rotor blade root and the end region is angled in a direction of a leading edge of the rotor blade.

15. (Previously Presented) The rotor blade of claim 11, wherein the rotor blade comprises glass fiber-reinforced plastic material, and wherein conductive elements for lightning conduction are incorporated into the rotor blade.

16. (Previously Presented) The rotor blade of claim 11, wherein the rotor blade tip is an independent piece which can be coupled to the rotor blade.

17-22. Canceled.

23. (Currently Amended) A wind power plant rotor blade tip for a wind power plant rotor blade with an aerodynamic profile having a pressure side and a suction side, wherein the rotor blade tip is hollow and includes an outer region that is curved in a direction of the pressure side of the rotor blade, ~~and~~ wherein the outer region narrows towards an upper edge, and wherein an end of the rotor blade tip remote from an afflux flow includes an opening for water drainage.

24. Canceled.

25. (Currently Amended) The wind power plant rotor blade tip of claim ~~24~~23, wherein a tube portion adjoins the opening.

26-28. Canceled.

29. (Previously Presented) A wind power plant comprising a rotor having at least one rotor blade tip according to claim 1.

30-31. Canceled.